

CERTIFICATE OF ANALYSIS

COA*



BEWIT KEWRA

Czech: BEWIT Kewra

Latin: Pandanus odoratissimus

Batch number: AX2022/02





We have developed our own set of standards and protocols CTEO® – **CERTIFIED THERAPEUTIC ESSENTIAL OILS** to monitor, check and evaluate the quality of our essential oils. Our goal is to consistently offer our customers essential oils in the best and most beneficial quality.

Certificate of analysis disclaimer

COA is a document published by BEWIT Natural Medicine, s.r.o., which contains both general and specific information about essential oils and other BEWIT products. The COA includes information from literary publications and other publicly available sources as well as selected sensometric analyses from BEWIT laboratories (BEWIT ESSENTIAL LABORATORIES), supplier analyses and, in some cases, tests from independent laboratories. The COA published for a given product may not always match the product batch on offer at BEWIT at the time and may not always describe all batches of the given product that may be on offer at the time.



General information

Batch number	AX2022/02	
English	BEWIT KEWRA	
Czech	BEWIT Kewra	
Latin	Pandanus odoratissimus	
Country of origin	India	
Part of a plant	Flowers	
Method of acquisition	Steam distilled	
Color	Colorless to light yellow	
Odor	Sweet, floral	
CAS number	91770-47-7	
Main components	Phenyl Ethyl Methyl Ether (PEME), terpinen-4-ol	
Refractometric index	1,4898	
Optical rotation	+2,70°	

General information

Components

COMPOUND	RELATIVE CONTENT (%)	
Phenyl Ethyl Methyl Ether (PEME)	81,4	
Terpinen-4-ol	11,2	
α-terpineol	1,4	
y-terpinene	1,1	
para cymene	0,8	
1,8-Cineol (Eucalyptol)	0,7	
α-phellandrene	0,6	
Sabinene	0,5	
Terpinolene	0,5	
α-terpinene	0,4	
D-limonene	0,3	
α-pinen	0,2	
Linalool	0,2	

List of cosmetic allergens

Allergen INCI name	CAS number	%
Amyl cinnamal	122-40-7	
Amylcinnamyl alcohol	101-85-9	
Benzyl alcohol	100-512-6	
Benzyl salicylate	118-58-1	
Cinnamyl alcohol	104-54-1	
Cinnamal	104-55-2	
Citral	5392-40-5	0,1
Coumarin	91-64-5	
Eugenol	97-53-0	
Geraniol	106-24-1	0,1
Hydroxycitronellal	07-75-5	
Hydroxymethylpenthyl-cyclohexenecarboxaldehyde	31906-04-4	
Isoeugenol	97-54-1	
Anisyl alcohol	105-13-5	
Benzyl benzoate	120-51-4	
Benzyl cinnamate	103-41-3	
Citronellol	106-22-9	0,1
Farnesol	4602-84-0	
Hexyl cinnamaldehyde	101-86-0	
D-limonene	5989-27-5	0,3
Linalool	78-70-6	0,2
Methyl heptine carbonate	111-12-6	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5	
Oak moss	90028-68-5	
Tree moss	90028-67-4	

Independent tests and studies

Effect of harvesting time and storage on essential oil and PEME content of Pandanus fascicularis. Journal of Applied Pharmaceutical Science [online]. 2017 [cit. 2022–01–18]. ISSN 22313354. Dostupné z: doi:10.7324/JAPS.2017.71027

TISSERAND, Robert a Rodney YOUNG. Essential oil safety: a guide for health care professionals. Second edition. Edinburgh: Elsevier, 2013. ISBN 9780443062414.